



Fiche technique



Baignoire murale HARESM-M
Robinetterie FIGARO noir mat

Baignoire murale HARÈS

Dimensions : L1700 x P800 x H550 mm
Volume : 280 litres (murale) 290 litres (îlot) - Poids : 51 kg
Profondeur d'eau jusqu'au rebord 450 mm
Baignoire autoportante avec double coque, jointure invisible
Matériau : acrylique thermoformé épaisseur de 3 mm

Vidage :
bonde clic-clac blanche - Avec trop-plein
Siphon en V non inclus - Voir **30723226**

HARESM-M (murale - blanc mat)



Harès



Fiche technique



Baignoire îlot HARES-M
Robinetterie FIGARO cuivré brossé

Baignoire îlot HARÈS

Dimensions : L1700 x P800 x H550 mm
Volume : 280 litres (murale) 290 litres (îlot) - Poids : 51 kg
Profondeur d'eau jusqu'au rebord 450 mm
Baignoire autoportante avec double coque, jointure invisible
Matériau : acrylique thermoformé épaisseur de 3 mm

Vidage :
bonde clic-clac blanche - Avec trop-plein
Siphon en V non inclus - Voir **30723226**

HARES-M (îlot - blanc mat)



Harès

Technical drawing of a rectangular container with rounded ends, showing three views: top, front, and side.

Top View:

- Overall length: 1630
- Distance from end to start of rounded section: *1200
- Radius of rounded end: 215
- Distance from rounded end to center: 35
- Overall width: *780±5
- Distance from top/bottom edge to centerline: 710
- Distance from centerline to rounded end: *520
- Distance from rounded end to top/bottom edge: 95
- Center hole: $\phi 90$
- Inner hole: $\phi 70$
- Outer hole: * $\phi 52$

Front View:

- Overall width: 580
- Distance from top/bottom edge to centerline: 430
- Overall height: 700
- Distance from top/bottom edge to centerline: 40

Side View:

- Overall length: 1620
- Distance from end to start of rounded section: *430
- Radius of rounded end: 15
- Distance from rounded end to center: 30
- Overall width: *580±5
- Distance from top/bottom edge to centerline: 70
- Distance from centerline to rounded end: *70
- Distance from rounded end to top/bottom edge: 15

Technical drawing of a rectangular container with rounded ends, showing top, side, and detail views.

Top View:

- Overall width: 1700
- Overall height: 800
- Inner width: 1640
- Inner height: 740
- Radius of rounded ends: R5
- Center hole dimensions: $\phi 90$, $\phi 70$, $\phi 52$

Side View:

- Overall height: 720
- Radius of top corners: 2-R5
- Radius of bottom corners: 2-R5
- Radius of side corners: 2-R45
- Bottom flange width: 35
- Bottom flange height: 50

Detail View (Circular):

- Radius of outer edge: R4.5
- Radius of inner edge: R5
- Thickness: 25